

**Peer-Reviewed Science on  
Ecological and Health Impacts of Open-Net Cage Salmon Aquaculture**

**Updated January 2011**

**1. General**

Volcanic ash fuels anomalous plankton bloom in subarctic northeast Pacific. (2010). Roberta C. Hamme, Peter W. Webley, William R. Crawford, Frank A. Whitney, Michael D. DeGrandpre, Steven R. Emerson, Charles C. Eriksen, Karina E. Giesbrecht, Jim F. R. Gower, Maria T. Kavanaugh, M. Angelica Peña, Christopher L. Sabine, Sonia D. Batten, Laurence A. Coogan, Damian S. Grundle, and Deirdre Lockwood. *Geophysical Research Letters*

Auditor General of British Columbia. (2004). *Salmon Forever: An Assessment of the Provincial Role in Sustaining Wild Salmon – 2004/2005 Report*. Victoria, BC: Office of the Auditor General of British Columbia.

Auditor General of Canada. (2004). Chapter 5: Fisheries and Oceans Canada – Salmon Stocks, Habitat, and Aquaculture. In, *2004 Report of the Commissioner of the Environment and Sustainable Development to the House of Commons*. Ottawa: Office of the Auditor General.

EVS Environmental Consultants. (2000). *An Evaluation of Knowledge and Gaps related to Impacts of Freshwater and Marine Aquaculture on the Aquatic Environment (Final Report)*. Prepared for the Canadian Department of Fisheries and Oceans.

Gardner, J. and D.L. Peterson. (2003). *Making sense of the Aquaculture Debate*. Report prepared for the Pacific Fisheries Resource Conservation Council.

Naylor, R.L., R.J. Goldberg, J. Primavera, N. Kautsky, M.C.M. Beveridge, J. Clay, C. Folke, J. Lubchenco, H. Mooney and M. Troell. (2001). Effects of Aquaculture on World Fish Supplies. *Ecology*. 8:14.

Naylor, R.L., J. Eagle and W. L. Smith. (2003). Salmon aquaculture in the Pacific Northwest: A global industry with local impacts. *Environment*. 45:18-39.

Naylor, R.L. and M. Burke (2005) Aquaculture and ocean resources: Raising tigers of the sea. *Annual Review of Environment and Resources*. 30:185-218.

Marshall, D. (2003). *Fishy Business: The Economics of Salmon Farming in BC*. Prepared by Canadian Centre for Policy Alternatives - BC Office. Vancouver, BC.

Pauly, D., V. Christensen, S. Guenette, T. J. Pitcher, U.R. Sumaila, C.J. Walters, R. Watson and D. Zeller. (2004). Towards sustainability in world fisheries. *Nature*. 418: 689-695.

Rees, W. (2003). Net-pen salmon farming: failing on two fronts: An eco-footprint analysis. In Gallagher, P., Wood, L. (Eds.). *The World Summit on Salmon, June 10-13, 2003: Proceedings*. Continuing Studies in Science, Simon Fraser University, Burnaby, BC: 139-152.

Tacon, A.G.J. (2005). *State of information on salmon aquaculture feed and the environment*. Prepared for the World Wildlife Fund/Salmon Aquaculture Dialogue.

## 2. Sea lice

Craig J. C. Losos, John D. Reynolds & Lawrence M. Dill. (2010) Sex-selective Predation by Threespine Sticklebacks on Sea Lice: A Novel Cleaning Behaviour. *Ethology*.

Brendan M. Connors, N. Brent Hargreaves, Simon R. M. Jones, Lawrence M. Dill. (2010) Predation intensifies parasite exposure in a salmonid food chain.

Brendan M. Connors, Martin Krkošek, Jennifer Ford, Lawrence M. Dill. Coho salmon productivity in relation to salmon lice from infected prey and salmon farms.

M. H.H. Price, A. Morton, and J. D. Reynolds. (2010) Evidence of farm-induced parasite infestations on wild juvenile salmon in multiple regions of coastal British Columbia, Canada.

Bjorn, P.A. and B. Finstad. (2002). Salmon lice, *Lepeophtheirus salmonis* (Kroyer), infestation in sympatric populations of Arctic char, *Salvelinus alpinus* (L.), and sea trout, *Salmo trutta* (L.), in areas near and distant from salmon farms. *International Council for the Exploration of the Sea Journal of Marine Science*. 59:131-139.

Butler, J.R.A. (2002). Wild salmonids and sea louse infestations on the west coast of Scotland: sources of infestation and implications for the management of marine salmon farms. *Pest Management Science*. 58:595-608.

Connors, B.M., M. Krkosek & L.M. Dill. (2008) Sea lice escape predation on their host. *Biology Letters*.

Costello, M.J. (2006). Ecology of sea lice parasitic on farmed and wild fish. *Trends in Parasitology*. 22(10):475-477.

Dill, L.M., C.J.C. Losos, B.M. Connors, P. Mages. (2009) Comment on Beamish et al. (2007) “A proposed life history strategy for the salmon louse, *Lepeophtheirus salmonis* in the subarctic Pacific”. *Aquaculture*. 286:154-155.

Ford, J. S. and Myers, RA (2008) A Global Assessment of Salmon Aquaculture Impacts on Wild Salmonids. *PLoS Biol* 6(2): e33 [doi:10.1371/journal.pbio.0060033](https://doi.org/10.1371/journal.pbio.0060033)

Frazer, L.N., (2009) Sea-cage aquaculture, sea lice, and declines of wild fish. *Conservation Biology*. 23: 599–607.

Gallaughier, P. and C.D. Orr (2000). *Aquaculture and the Protection of Wild Salmon. Workshop Proceedings. Speaking for the Salmon*. Continuing Studies in Science, Simon Fraser University, Burnaby, BC. [Electronic copy not available]

Gallaughier, P., C.D. Orr, M. Berry, and P. Broomhall (2002). *Speaking for the Salmon: Summit of Scientists on Sea Lice*. Centre for Coastal Studies, Simon Fraser University, Burnaby, BC.

- Gallaugher, P., J. Penikett, and M. Berry (2004a). *Speaking for the Salmon: A Community Workshop to Review Preliminary Results of 2003 Studies on Sea Lice and Salmon in the Broughton Archipelago Area of British Columbia*. Simon Fraser University, Inner Coast Natural Resource Centre, Alert Bay, BC.
- Gallaugher, P., J. Penikett, and L. Wood (2004b). *Speaking for the Salmon: Scientists' Roundtable on Sea Lice and Salmon in the Broughton Archipelago Area of British Columbia—Conveners Report*. Continuing Studies in Science and Centre for Coastal Studies, Simon Fraser University, Morris J. Wosk Centre for Dialogue, SFU, Vancouver, BC.
- Gottesfeld, A. S., B. Proctor, L. D. Rolston and C. Carr-Harris. (2009) Sea lice, *Lepeophtheirus salmonis*, transfer between wild sympatric adult and juvenile salmon on the north coast of British Columbia, Canada. *Journal of Fish Diseases*. 32: 45–57.
- Heuch, P.A., P.A. Bjorn, B. Finstad, J.C. Holst, L. Asplin and F. Nilsen. (2005). A review of the Norwegian Action Plan against salmon lice on salmonids: The effects on wild salmonids. *Aquaculture*. 246:79-92.
- Holst, J.C., P. Jakobsen, F. Nilsen and M. Holm. (2000). Sea lice kill the wild salmon: Measures ahead! *Aquaculture Report 2000*. Institute of Marine Research. Bergen, Norway.
- Holst, J.C., P. Jacobsen, F. Nilsen, M. Holm and J. Aure. (2003). Mortality of seaward-migrating post-smolts of Atlantic salmon due to salmon lice infection in Norwegian salmon stocks. In D. Mills (ed.) *Salmon at the edge*. Blackwell Science, Oxford:136-157.
- Krkošek, M., A. Morton, J. Volpe, & M.A. Lewis. (2009) Sea lice and salmon population dynamics: Effects of exposure time for migratory fish. *Proceedings of the Royal Society of London Series B*. published online, doi:10.1098/rspb.2009.0317
- Krkošek, M. (2009) Sea lice and salmon in Pacific Canada: Ecology and policy. *Frontiers in Ecology and the Environment*. published online, doi:10.1890/080097
- Krkošek, M., M.A. Lewis and J.P. Volpe. (2005). Transmission dynamics of parasitic sea lice from farm to wild salmon. *Proceedings of the Royal Society of London Series B* 272:689-696.
- Krkošek, M., M.A. Lewis, A. Morton, L.N. Frazer and J.P. Volpe. (2006). Epizootics of wild fish induced by farmed fish. *Proceedings of the National Academy of Sciences of the USA*. 103:15506-15510.
- Krkošek, M., A. Gottesfeld, B. Proctor, D. Rolston, C. Carr-Harris and M.A. Lewis. (2007). Effects of host migration, diversity and aquaculture on sea lice threats to Pacific salmon populations. *Proceedings of the Royal Society B*. doi:10.1098/rspb.2007.1122.
- Krkošek, M., J.S. Ford, A. Morton, S. Lele, R.A. Myers, and M.A. Lewis. (2007) Declining wild salmon populations in relation to parasites from farmed salmon. *Science*.318:1772-1775.

Lees, F., M. Baillie, G. Gettinby<sup>1</sup> and C.W. Revie. (2008) Factors associated with changing efficacy of emamectin benzoate against infestations of *Lepeophtheirus salmonis* on Scottish salmon farms. *Journal of Fish Diseases*. 31: 947–951.

Morton, A., R. Routledge, C. Peet and A. Ladwig. (2004). Sea lice (*Lepeophtheirus salmonis*) infection rates on juvenile pink (*Oncorhynchus gorbushca*) and chum (*Oncorhynchus keta*) salmon in the nearshore marine environment of British Columbia, Canada. *Canadian Journal of Fisheries and Aquatic Science*. 61: 147-157.

Morton, A. and R. D. Routledge (2005a). Mortality rates for Juvenile Pink *Oncorhynchus gorbushca* and Chum *O. keta* salmon infested with Sea Lice *Lepeophtheirus salmonis* in the Broughton Archipelago. *The Alaska Fisheries Research Bulletin*. 11(2): 146-152

Morton, A., R. D. Routledge and R. Williams. (2005b). Temporal patterns of sea louse infestation on wild Pacific salmon in relation to the fallowing of Atlantic salmon farms. *North American Journal of Fisheries Management*. 25:811-821.

Morton, A. and R. D. Routledge. (2006). Fulton’s condition factor: Is it a valid measure of sea lice impact on juvenile salmon? *North American Journal of Fisheries Management*. 26:56-62.

Morton, A., R. Routledge, and M. Krkosek (2008) [Sea louse infestation in wild juvenile salmon and Pacific herring associated with fish farms off the east-central coast of Vancouver Island, British Columbia](#). *North American Journal of Fisheries Management*.

Orr, C. (2007). Estimated sea louse egg production from Marine Harvest Canada farmed Atlantic salmon in the Broughton Archipelago, British Columbia, 2003-2004. *North American Journal of Fisheries Management*. 27:187-197.

Watershed Watch Salmon Society. (2004). *Sea Lice and Salmon: Elevating the dialogue on the farmed-wild salmon story*. Watershed Watch Salmon Society, Coquitlam.

### 3. Escapes of and colonization by Atlantic salmon

Lacroix, G. L., P. McCurdy and D. Knox. (2004). Migration of Atlantic Salmon postsmolts in relation to habitat use in a coastal system. *Transactions of the American Fisheries Society*. 133: 1455-1471.

Morton, A.B. and J. Volpe. (2002). A description of escaped farmed Atlantic salmon *Salmo salar* captures and their characteristics in one Pacific salmon fishery area in British Columbia Canada, in 2000. *Alaska Fishery Research Bulletin*. 9:102-110.

Naylor, R., K. Hindar, I.A. Fleming, R. Goldberg, S. Williams, J. Volpe, F. Whoriskey, J. Eagle, D. Kelso and M. Mangel. (2005). Fugitive salmon: Assessing the risks of escaped fish from net-pen aquaculture. *Bioscience*. 55(5):427-437.

Volpe, J., E.B. Taylor, D.W. Rimmer and B.W. Glickman. (2000). Evidence of natural reproduction of aquaculture-escaped Atlantic salmon in a coastal British Columbia river. *Conservation Biology*. 14: 899-903.



Coastal Alliance for Aquaculture Reform

Volpe, J.P., B.R. Anholt and B.W. Glickman. (2001). Reproduction of Atlantic salmon (*Salmo salar*) in a controlled stream channel on Vancouver Island, British Columbia. *Transactions of the American Fisheries Society*. 130: 489-494.

Volpe, J.P., B.R. Anholt, B.W. Glickman and D.W. Rimmer. (*In review*). Native juvenile salmonids do not constitute biological resistance to the colonization of Atlantic salmon in a British Columbia river: Implications for invasion. *Transactions of the American Fisheries Society*.

Volpe, J.P., B.R. Anholt and B.W. Glickman. (2001). Competition among juvenile Atlantic salmon (*Salmo salar*) and steelhead trout (*Oncorhynchus mykiss*): Relevance to invasion potential in British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences*. 58:197-207.

#### **4. Disease**

Host density thresholds and disease control for fisheries and aquaculture. (2010). Martin Krkosek. *School of Aquatic and Fishery Sciences*, University of Washington, Seattle, Washington, USA.

Palacios G, Lovoll M, Tengs T, Hornig M, Hutchison S, et al. (2010) Heart and Skeletal Muscle Inflammation of Farmed Salmon Is Associated with Infection with a Novel Reovirus. *PLoS ONE* 5(7): e11487. doi:10.1371/journal.pone.0011487.

Krogdahl, A., A.M. Bakke-Mckellep, K.H. RØed and G. Baeverfjord (2000). Feeding Atlantic salmon *Salmo salar* L. soybean products: Effects on disease resistance (furunculosis) and lysozyme and IgM levels in the intestinal mucosa. *Aquaculture Nutrition*. 6(2):77-84.

Kurath, G., K.A. Garver, R.M. Troyer, E.J. Emmenegger, K. Einer-Jensen and E.D. Anderson. (2003). Phylogeography of infectious haematopoietic necrosis virus in North America. *Journal of General Virology*. 84: 803-814.

Saksida, S. (2004). *Investigation of the 2001-2003 IHN epizootic in farmed salmon in British Columbia*. Prepared for the British Columbia Ministry of Agriculture, Fisheries and Food and the British Columbia Salmon Farmers Association.

St-Hilaire, S., C.S. Ribble, G.S. Traxler, T. Davies and M.L. Kent. (2001). Evidence for a carrier state of infectious hematopoietic necrosis virus in Chinook salmon *Onchorhynchus tshawytscha*. *Diseases of Aquatic Organisms*. 46(1):7-14.

Werring, J. (2003). Implications of holding diseased fish in open net-pen fish farms and the potential impacts on wild fish and adjacent, disease-free farms, with particular reference to *Infectious Hematopoietic Necrosis* (IHN). *Bioline – The Official Publication of the Association of Professional Biologists of BC*. 19(1):11.

#### **5. Effects on other species**

Bright, D.A. and S. Dionne. (2004). *Use of emamectin benzoate in the Canadian finfish aquaculture industry: A review of environmental fate and effects*. Environment Canada and UMA Engineering, Victoria, BC.

Gillis, D.J. (1995). Some impacts of salmon farming in British Columbia on Pacific Herring (*Clupea harengus pallasi*). In, Hay, D.E. and P.B. McCarter (Eds.), *Proceedings of the Seventh Pacific Coast Herring Workshop January 27-28, 1994*. Fisheries and Oceans Canada, Nanaimo, BC: 77-83.

Morton, A. (2002). Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *International Council for the Exploration of the Sea Journal of Marine Science* 59:71-80.

Waddy, S.L., L.E. Burrige, M.N. Hamilton, S.M. Mercer, D.E. Aiken and K. Haya. (2002). Emamectin benzoate induces molting in American lobster, *Homarus americanus*. *Canadian Journal of Fisheries and Aquatic Science*. 59:1096-1099.

Willis, K. J. and N. Ling. (2003). The toxicity of emamectin benzoate, an aquaculture pesticide, to planktonic marine copepods. *Aquaculture*. 221:289-297.

## 6. Effects on benthic habitat

Ernst, W., P. Jackman, K. Doe, F. Page, G. Julien, K. Mackay and T. Sutherland. (2001). Dispersion and toxicity to non-target aquatic organisms of pesticides used to treat sea lice on salmon in net pen enclosures. *Marine Pollution Bulletin*. 42:433-444.

Findlay, R.H. and L. Watling. (1997). Prediction of benthic impact for salmon net-pens based on the balance of benthic oxygen supply and demand. *Marine Ecology-Progress Series*. 155:147-157.

Lampadariou, N., L. Karakassis, S. Teraschke and G. Arlt. (2005). Changes in benthic meiofaunal assemblages in the vicinity of fish farms in the Eastern Mediterranean. *Vie et Milieu-Life and Environment*. 55:61-69.

Pohle, G., B. Frost and R. Findlay (2001). Assessment of regional benthic impact of salmon mariculture within the Letang Inlet, Bay of Fundy. *ICES Journal of Marine Science*. 58:417-426.

## 7. Health concerns

DeBruyn, A.M., M. Trudel, N. Eyding, J. Harding, H. McNally, R. Mountain, C. Orr, D. Urban, S. Verenitch and A. Mazumder. (2006). Ecosystemic effects of salmon farming increase mercury contamination in wild fish. *Environmental Science and Technology*. 40(11): 3489-3493.

BC Aboriginal Fisheries Commission, Ahousaht First Nation, Kitsoo Fisheries, Musgamagw Tsawataineuk Tribal Council and University of Victoria. (2004). *Fish farm contaminant levels in BC First Nations Fish and Shellfish Resources*. [Power Point Presentation]

Cabello, F.C. (2006) Heavy use of prophylactic antibiotics in aquaculture: A growing problem for human and animal health and for the environment. *Environmental Microbiology*. 8(7):1137-1144.

Cabello, F.C. (2007) Salmon aquaculture and transmission of the fish tapeworm. *Emerging Infectious Diseases*. 13(1):169-171.



Coastal Alliance for Aquaculture Reform

- Foran, J., D.H. Good, D.O. Carpenter, M.C. Hamilton, B.A. Knuth and S.J. Schwager. (2005). Quantitative Analysis of the Benefits and Risks of Consuming Farmed and Wild Salmon. *Journal of Nutrition*. 135: 2639-2643.
- R.A. Hites, J.A. Foran , D.O. Carpenter, M.C. Hamilton, B.A. Knuth and S.J.Schwager. (2004). Global Assessment of Organic Contaminants in Farmed Salmon. *Science*. 303: 226-228.
- Easton, M.D.L., D. Luszniak and E. Von der Geest. (2002). Preliminary examination of contaminant loadings in farmed salmon, wild salmon and commercial salmon feed. *Chemosphere*. 46:1053-1074.
- Jacobs, M., J. Ferrario and C. Bryne. (2002). Investigation of polychlorinated dibenzo-p-dioxins, dibenzo-p-furans and selected coplanar biphenyls in Scottish farmed Atlantic salmon (*Salmo salar*). *Chemosphere* 47:183-191.
- Xiaoyu, H., R.A. Hites, J.A. Foran, M.C. Hamilton, B.A. Knuth, S.J. Schwager and D.O. Carpenter. (2006). Consumption advisories for salmon based on risk of cancer and noncancer health effects. *Environmental Research*. 101(2):263-274.